





GROUP 7.000 FRAME—SPRINGS BUMPER

ILLUSTRATION	PAGE
FRONT AND REAR BUMPER	1 - 13
REAR SUSPENSION	14
SPRING CHARTS	1 - 10





1967-68 FIREBIRD FRONT BUMPER

Key	Part Name	Part No.	Group No.
1	BAR, Front Bumper Impact (w/400 Sport Option)	9789777	7.831
	BAR, Front Bumper Impact (Exc. 400 Sport Option)	9788848	7.831
2	REINFORCEMENT, Front Bumper Bar to Frame Bar - R.H.	9788852	7.836
3	BOLT, Bumper Bar Reinforcement to Frame Bar (3/16"-16 x 1 1/4")	9789452	7.852
4	NUT, Stabilizer to Rod Support Gusset (5/16"-18)	124824	8.916
5	STABILIZER, Front Bumper	481705	7.831
6	WASHER, Stabilizer to Rod Support Gusset (1 1/8" O.D.)	9422759	8.929
7	PUSHNUT, Bumper Bar Uprr. Reinf. to Frame Bar (3/8"-16)	N.S.	-
8	BAR, Bumper Bar to Frame - R.H.	9789145	7.836
9	WASHER, Bumper Bar Reinforcement to Frame (13/32" I.D. x 3/4" O.D.)	502306	7.836
10	LOCK WASHER, Impact Bar Reinforcement to Frame (3/8")	120382	8.931
11	NUT, Impact Bar Reinforcement to Frame (3/8"-16)	124824	8.916
12	LOCK WASHER, Bumper Bar Reinforcement to Frame (3/8")	120382	8.931
13	WASHER, Bumper Bar Reinforcement to Frame (13/32" I.D. x 3/4" O.D.)	502306	
14	FILLER, Impact Bar to Fender - R.H. (Plastic)	9789798	7.865
15	NUT, Impact Bar to Upper Reinforcement (3/8"-16)	9411507	8.917
16	REINFORCEMENT, Front Bumper Bar - Upper	9788849	7.831
17	BAR, Bumper Bar to Frame - L.H.	9789146	7.836
18	WASHER, Bumper Bar Reinforcement to Frame (3/32" I.D. x 3/4" O.D.)	502306	7.836
19	FILLER, Impact Bar to Fender - L.H. (Plastic)	9789799	7.865
20	LOCKWASHER, Bumper to Frame	1362249	7.831
21	NUT, Impact Bar to Frame (1/2"-13)	9422301	8.917
22	REINFORCEMENT, Bumper Bar to Frame Bar - L.H.	9788853	7.836
23	BOLT, Impact Bar to Frame Bar Reinf. (3/8"-16 x 7/8")	3774573	7.852
24	BOLT, Impact Bar to Frame Bar Upper Reinf. (3/8"-16 x 1")	186678	8.900
25	BOLT, Front Bumper Impact Bar (3/8"-16 x 1")	9789453	7.852
26	NUT, Emblem to Impact Bar (#10-24)	120361	8.915
27	SPACER, Front Bumper Emblem	9789776	7.831
28	EMBLEM, Front Bumper	9748667	7.831


1967-68 FIREBIRD REAR BUMPER


<u>Key</u>	<u>Part Name</u>	<u>Part No.</u>	<u>Group No.</u>
1	BAR, Rear Bumper Impact	9788872	7.831
2	BAR, Rear Bumper to Body - Intermediate - L.H.	9789296	7.836
3	BOLT, Rear Bumper Mtg. (3/8"-16 x 15/16")	3774573	7.852
4	RETAINER, Rear License Plate	9789720	7.800
5	BOLT, Rear Bumper Bar to Center Bracket (3/8"-16 x 3/4 Truss Hd.)	9789597	7.852
6	BAR, Rear Bumper to Frame - Outer - R.H.	9789861	7.836
7	NUT, Rear Bumper Mtg. Bolt (3/8"-16)	9414034	8.915
	LOCKWASHER, Rear Bumper Mtg. Bolt (3/8")	120382	8.931
8	BAR, Rear Bumper to Body - Intermediate - R.H.	9789295	7.836
9	SCREW, Body Intermediate and Outer Bars to Body (3/8"-16 x 1 1/4")	9417750	8.977
10	BRACKET ASM., Rear Bumper Center	9789706	7.836
11	NUT, Rear License Plate Mtg. to Valance Panel (1/4"-14 Nylon)	9789591	7.800
12	BAR, Rear Bumper to Frame - Outer - L.H.	9789862	7.836



1969 FIREBIRD FRONT BUMPER

Key	Description	Part No.	Qty.	Group
1	Bar, Front Bumper Impact—Center —With 250-350 Engines	9797454	1	7.831
	—With 400 Engine	9795649	1	7.831
2	Bolt, Bumper—Front Bumper Impact Bar ..	9785968	AR	7.852
3	Filler, Assy., Front Bumper Center —Upper—Paint to Match	9784312	1	7.865
4	Shim, Front Bumper Filler to Upper Reinforcement—Right	546135	AR	7.865
	—Left	9795994	AR	7.865
5	Retainer, Front Bumper Emblem —With 400 Engine	9785413	1	7.831
6	Emblem, Front Bumper	9750025	1	7.831
7	Use—Nut	120361	1	S.S.
	—Washer	138479	1	Cat907-A
8	Reinforcement, Front Bumper—Lower Right	9795988	1	7.831
9	Bolt, Bumper—Front Bumper Bar Reinforcement to Frame Bar	9789452	8	7.852
10	Nut	9414511	AR	Cat907-A
11	Washer, Front Bumper to Frame	1362249	4	7.831
12	Bar, Front Bumper to Frame—Right	9789145	1	7.836
13	Bolt	S.S.	—	—
14	Reinforcement, Front Bumper to Frame Bar—Left	9795914	1	7.836
15	Use—Nut	124829	AR	S.S.
	—Washer	446161	AR	Cat907-A
16	Reinforcement, Front Bumper—Lower—Left	9795989	1	7.831


Key	Description	Part No.	Qty.	Group
17	Reinforcement, Front Bumper to Frame Bar	9795913	1	7.836
13	Bar, Front Bumper to Frame—Left	9789146	1	7.836
19	Use—Nut	124829	AR	S.S.
	—Washer	446161	AR	Cat907-A
20	Washer	120382	AR	S.S.
21	Washer	120394	AR	Cat907-A
23	Reinforcement, Front Bumper—Upper	9796068	1	7.831
25	Seal, Front Bumper Center Filler to Hood	9784316	1	7.865
26	Nut	9422306	AR	Cat907-A
27	Washer	9422759	AR	S.S.
28	Stabilizer, Front Bumper	481705	2	7.831
29	Nut	274218	AR	S.S.
30	Washer	120394	AR	Cat907-A
31	Washer	S.S.	—	—
32	Washer, Front Bumper Bar to Reinforcement	9798199	10	7.852
33	Reinforcement, Front Bumper—Outer —Right	9795768	1	7.831
	—Left	9795769	1	7.831
34	Cushion, Front Bumper Impact Outer Bar —Right	9784327	1	7.831
	—Left	9784328	1	7.831
35	Bolt	126358	AR	S.S.
36	Bar, Front Bumper Impact—Outer —Right—Paint to Match	9784320	1	7.831
	—Left—Paint to Match	9784321	1	7.831



1969 FIREBIRD REAR BUMPER

Key	Description	Part No.	Qty.	Group
1	Bar, Rear Bumper Impact	9795392	1	7.831
2	Bolt, Bumper—Rear Bumper Bar to Center Bracket	9789597	2	7.852
3	Door and Hinge Assy., Fuel Tank Filler ...	9796286	1	12.945
4	Bumper, Fuel Tank Filler Door	9777365	2	12.945
5	Nut, Front License Plate or Bracket to Valance Panel or Impact Bar	3877254	AR	7.800
6	Screw	S.S.	—	—
7	Bolt	3774573	AR	Cat907-A
8	Bracket, Rear Impact Bar to Body —Outer—Left	9796005	1	7.836

Key	Description	Part No.	Qty.	Group
9	Use—Nut	124829	AR	S.S.
	—Washer	446161	AR	Cat907-A
10	Use—Bolt	454905	AR	Cat907-A
	—Washer	186417	AR	S.S.
11	Bracket, Rear Impact Bar to Body —Intermediate—Left	9795798	1	7.836
12	Bracket, Rear Impact Bar to Body —Outer—Right	9796004	1	7.836
13	Bracket, Rear Impact Bar to Body —Intermediate—Right	9795797	1	7.836
14	Nut	9422273	AR	Cat907-A
15	Bracket, Rear Impact Bar to Body —Center	9796123	1	7.836




1970-72 FIREBIRD FRONT BUMPER

Key	Description	Part No.	Qty.	Group
1	Bar, Front Bumper Impact	477705	1	7.831
2	Screw — $\frac{3}{16}$ - 18 - U -	Std. Stk.	—	—
3	Nut — $\frac{3}{16}$ - 18 - U -	Std. Stk.	—	—
4	Bracket, Frt. Bumper Val. Panel Mtg. — 1970-72	480716	1	7.833
5	Screw — $\frac{1}{4}$ - 14 x $\frac{3}{4}$	9425451	AR	—
6	Nut — $\frac{1}{4}$ - 14 x $\frac{3}{4}$	9422619	AR	—
7	Nut — $\frac{3}{16}$ - 18	271184	AR	—
8	Stabilizer, Front Bumper	481705	2	7.831
9	Shim	—	—	—
10	Washer — $\frac{3}{16}$ ID x $\frac{7}{8}$ OD	120386	AR	—
11	Nut — $\frac{3}{16}$ - 18	271184	AR	—
12	Screw — $\frac{3}{16}$ - 18 x $\frac{3}{4}$	9419402	AR	—
13	Nut — $\frac{3}{16}$ - 18 - U -	—	—	—
14	Bracket, Front Bumper Stabilizer to Sheet Metal Brace	481868	2	7.831


Key	Description	Part No.	Qty.	Group
15	Bar, Front Bumper to Frame	478660-1	1	7.836
16	Emblem, Front Bumper	481543	1	7.831
17	Bolt, Front Bumper	9795883	AR	7.852
18	Bracket, Front Bumper to Frame	478657-8	1	7.836
19	Washer — $1\frac{1}{32}$ ID x $\frac{7}{8}$ OD	Std. Stk.	—	—
20	Lockwasher — $\frac{3}{16}$	120383	AR	—
21	Nut — $\frac{3}{16}$ - 14	9424985	AR	—
22	Bar, Front Bumper to Frame... See #15 ...	—	—	—
23	Washer, Front Bumper to Frame	1362249	4	7.831
24	Bolt — $\frac{1}{2}$ - 13 x $1\frac{1}{8}$	Std. Stk.	—	—
25	Nut — $\frac{1}{2}$ - 13	9422301	AR	—
26	Nut — $\frac{1}{2}$ - 13	480315	2	7.852
27	Nut — $\frac{3}{16}$ - $\frac{3}{16}$	9420621	AR	—
28	Bracket, Front Bumper to Frame—See #18	—	—	—
29	Panel, Front Bumper Valance	480628	1	7.833

NOTE: WHERE TWO PART NUMBERS ARE SHOWN, RIGHT ALWAYS PRECEDES LEFT.



1973 FIREBIRD FRONT BUMPER


Key	Part Name	Part No.	Group No.
1	BAR, Front Bumper Impact (Paint to Match)	488410	7.831
2	BOLT (7/16"-14 x 1 1/4")	9427908	8.902
3	BOLT (7/16"-14 x 1")	454944	8.900
4	REINFORCEMENT, Bumper - Center	488565	7.831
5	REINFORCEMENT, Bumper - Outer - R.H.	488566	7.831
6	REINFORCEMENT, Bumper - Lower	488564	7.831
7	NUT (3/8"-16)	9414034	8.921
8	BAR, Bumper to Frame - R.H.	478660	7.836
9	BOLT (1/2"-13 x 1 1/2")	427566	8.900
10	WASHER (17/32" I.D. x 1 1/4" O.D.)	1362249	7.831
11	NUT (1/2"-13)	9414511	8.915
12	WASHER, Bar to Frame (1 1/4" O.D. x 1/2" I.D.)	—	S.S.
13	NUT, Bumper Attaching	480315	7.852
14	BOLT, Bracket to Frame (1/2"-13 x 1 3/4")	9417800	8.900
15	BAR, Bumper to Frame —L.H.	478661	7.836
16	STABILIZER, Bumper	489174	7.831
17	SHIM, Bumper (.060)	9781850	1.270
18	REINFORCEMENT, Bumper-Outer-L.H.	488567	7.831
19	WASHER, Bar to Reinf.	—	S.S.
20	NUT (7/16"-14)	9424985	8.915
21	WASHER (15/32" I.D. x 7/8" O.D.)	—	N.S.
22	LOCKWASHER (7/16")	120383	8.931
23	REINFORCEMENT, Bumper - Upper	488563	7.831
24	NUT, Bumper Attach.	480315	7.852
25	BOLT (7/16"-14 x 1')	9425343	8.902
26	SCREW (1/4"-14 x 1")	9425451	8.977
27	SCREW (5/16"-18 x 1")	—	N.S.
28	WASHER (11/32" I.D. x 1 1/4" O.D.)	9422759	8.931
29	PANEL, Front Valance	480628	7.833
30	BRACKET, Valance	484749	7.833



1970-73 FIREBIRD REAR BUMPER


Key	Description	Part No.	Qty.	Group
1	Bar, Rear Bumper Impact — 1970.....	9799744	1	7.831
	— 1971-73	484947	1	7.831
2	Bolt, Rear Bumper Mtg. — 3/8 - 16 x 3/8	—	—	—
3	Bracket, Rear Bumper to Body—Left Outer			
	—1970-72	9799978	1	7.836
	—1973	488641	1	7.836
4	Nut, Bumper Bar	3953056	4	7.852
5	Nut — 3/8 - 16	9413322	AR	—
6	Washer	—	—	—
7	Screw — 3/8 - 16 x 1 1/8	—	—	—
8	Support, Bumper on Rear End Panel			
	—(welded)	9831063	1	7.836
9	Clip, Snubber to Support	480534	1	7.836
10	Snubber, Rear Impact Bar to Body	481167	1	7.836
11	Bracket, Rear Bumper to Body			
	— Right Intermediate—1970-72	477637	1	7.836
	—1973	488636	1	7.836

Key	Description	Part No.	Qty.	Group
12	Bracket, Rear Bumper to Body			
	— Right Inner—1970-72	477693	1	7.836
	—1973	488632	1	7.836
13	Tab, Fuel Filler Door—1970-72	9796700	1	12.945
14	Screen — 3/8 - 16 x 1 1/8	9415612	AR	—
15	Bracket, Rear Bumper to Body			
	— Right Outer—1970-72	9799977	1	7.836
	—1973	488640	1	7.836
16	Door Assy., Fuel Tank Filler	479516	1	12.945
17	Bumper, Fuel Tank Filler Door	9777365	2	12.945
18	Nut, plate to Impact Bar	3877254	AR	7.800
19	Screen — #14 - 10 x 3/8	Std. Stk.		
20	Bracket, Rear Bumper to Body			
	— Left Inner—1970-72	477694	1	7.836
	—1973	488633	1	7.836
21	Bracket, Rear Bumper to Body			
	— Left Intermediate—1970-72	477638	1	7.836
	—1973	488637	1	7.836



1974 FIREBIRD FRONT BUMPER

Key	Part Name	Part No.	Group No.
1	BAR, Front Bumper (Exc. Cal. & Md. Replacement)	498472	7.831
2	REINFORCEMENT, Bumper Center - Lower	492717	7.831
3	GUSSET, Bumper	492937-38	7.831
4	REINFORCEMENT, Bumper —RR Horizontal	492366	7.831
5	BAR, Bumper to Frame	492715-16	7.836
6	BRACKET, Bumper (w/Impact Prot.)	495292-93	7.836
7	PANEL, Front Valance (See Data For Colors)	492465	7.833
8	BOLT (7/16"-14 x 1")	—	S.S.
9	STABILIZER, Bumper	495328	7.831
10	SHIM, Bumper	3745380	8.143
11	SCREW (5/16"-18 x 1-1/4")	—	S.S.
12	NUT (5/16"-18)	120376	8.921
13	WASHER (5/16" I.D. x 7/8" O.D.)	—	S.S.
14	SCREW (5/16"-18 x 3/4")	3960314	1.276
15	BRACKET, Stabilizer Mtg.	495296-97	7.831
16	NUT (5/16"-18 "U")	3958324	8.083
17	BOLT (1/2"-13 x 1-3/4 Fluted Shoulder)	See Data	7.874
18	WASHER, Bumper to Frame	492370	7.836
19	NUT (1/2"-13)	9414511	8.915
20	NUT (7/16"-14)	9424985	8.915
21	NUT (7/16"-14)	492949	7.874
22	NUT (Push-On-7/16")	—	S.S.
23	NUT (7/16"-14 "U")	492949	7.874
24	BOLT (7/16"-14 x 1-1/2")	3955019	7.852
25	WASHER (1/2" I.D. x 7/8" O.D.)	—	S.S.
26	NUT (3/8"-16 "U")	1494254	7.874
27	BOLT, Reinf. to Bar	9795883	7.874
28	BOLT (3/8"-16 x 1-1/4" Hex. Hd. - Pointed)	492746	7.874
29	NUT (3/8"-16)	1378333	6.760
30	BRACKET, Panel to Supt.	484749	7.833
31	WASHER (5/16" I.D. x 1-9/64" O.D.)	—	S.S.
32	SCREW (5/16"-18 x 1")	—	S.S.
33	SCREW (1/4"-14 x 1")	—	S.S.



1974 FIREBIRD REAR BUMPER

Key	Part Name	Part No.	Group No.
1	BAR, Rear Bumper	492015	7.831
2	RETAINER, Bar to Reinforcement—Upper	493444	7.836
3	RETAINER, Bar to Reinforcement—Lower	493445	7.836
4	REINFORCEMENT, Bumper	492752	7.831
5	PLATE, Bumper Mtg.	494584	7.831
6	BRACKET, Bar to Body Mtg.	492822	7.836
7	TAB, Filler Door	9796700	12.945
8	DOOR, Fuel Filler	492754	12.945
9	BRACKET, Bumper Jacking	498701	7.836
10	ABSORBER, Rear Bumper Guard	—	N.S.
11	WASHER (15/32" I.D. x 1-1/4" O.D. x 1/8")	—	N.S.
12	BOLT (7/16"—14 x 1-1/2")	9425080	8.900
13	WASHER (Sealing)	7583551	12.183
14	NUT & WASHER	4801719	12.118
15	NUT (Push-On—7/16")	—	N.S.
16	WASHER (Sealing) (15/32" I.D.)	—	N.S.
17	WASHER (15/32" I.D. x 1-3/4" O.D.)	—	N.S.
18	NUT (7/16"—14)	9424985	8.915
19	BUMPER, Filler Door	9777365	12.945
20	NUT (7/16"—14 "U")	492949	7.874
21	RIVET, Tab to Door	—	N.S.
22	SCREW (1/4"—20 x 7/8")	—	N.S.

A

FRAME HANGER BAR
R & R VALANCE PANEL, BUMPER ASM
R & R NUTS BOLTS AT FRAME & RAD. SUPT.

FRAME

2 NUTS


INNER BAR REINFORCEMENTS
SEE FAC BAR


B

FRONT BUMPER BAR (BLACK URETHANE)
R & R VALANCE PANEL
R & R ASM BY 2 NUTS AT EACH FRAME HANGER BAR
R & R INNER REINFE. ATTACH. NUTS--BOLTS
TORQUE HANGER BAR NUTS 45 60 LB. FT.


FRONT VALANCE PANEL
R & R SCREWS
R & R LICENSE PLATE MOUNTING

CENTER SPOILER
R & R SCREWS





1975 FRONT BUMPER

Key	Part Name	Part No.	Group No.
1	BUMPER, Bar & Guard	498472	7.831
2	BRACE, Bumper to Bar	499405	7.831
3	GUSSET ASM., Bumper	497465-66	7.831
4	REINFORCEMENT, Import Bar	497645	7.831
5	BOLT, Tension Rod (3/8"-16 x 42-1/4")	498863	7.874
6	BAR, Impact Bar to Frame	498899-00	7.836
7	BRACKET, Impact Bar to Frame	497175-76	7.869
8	BRACKET, Reinforcement to Frame Bar	498853	7.831
9	REINFORCEMENT, Center-Lower	492717	7.831
10	BRACKET, Valance Panel to Supt.	484749	7.833
11	PANEL, Front Bumper Valance	See Catalog	7.833
12	BOLT (3/8"-16 x 1-1/4")	9420462	7.874
13	NUT (3/8"-16 "U")	416574	7.874
14	NUT (3/8"-16)	1378333	6.760
15	BOLT (7/16"-14 x 1-5/16")	494294	7.010
16	STABILIZER ASM., Bumper	498951	7.831
17	NUT (3/8"-16 Ny-Lock)	3979999	6.896
18	SHIM, Stabilizer	3745380	8.016
19	WASHER (15/32" I.D. x 1-1/8" O.D.)	1347774	12.981
20	SCREW (5/16"-18 x 13/16")	3960314	1.276
21	BRACKET, Stabilizer Mtg.	495296-97	7.831
22	NUT (5/16"-18 "U")	3958334	8.083
23	BOLT (1/2"-13 x 1-1/4")	492975	7.874
24	WASHER, Bar to Frame	492370	7.874
25	NUT (1/2"-13)	9414511	8.915
26	WASHER (3/8" x 3/4")	446205	8.929
27	NUT (7/16"-14)	9424985	8.915
28	NUT (7/16"-14 "U")	492949	7.874
29	NUT (7/16"-14")	6262212	0.002
30	BOLT (7/16"-14 x 1")	454944	8.900
31	WASHER (1/2" I.D. x 7/8" O.D.)	3990160	7.874
32	BOLT (7/16"-14 x 1-1/2")	332319	7.874
33	BOLT (7/16"-14 x 1-1/4")	9795883	7.874
34	WASHER (5/16" x 3/4")	120386	8.929
35	SCREW (5/16"-18 x 1")	-	N.S.
36	SCREW (1/4"-14 x 1")	-	N.S.




1976 "F" FRONT BUMPER

1. BAR, Bumper Impact	7.831
2. REINFORCEMENT, Bumper Impact Center	7.831
3. REINFORCEMENT, Bumper Impact Center	7.831
4. NUT, Center Reinforcement (3/8"-16)	6.760
5. BOLT, Brace	7.874
6. WASHER, Reinf. to Frame Frt., Inner (15/32" I.D. x 1 1/8" O.D.)	7.832
7. NUT, Support to Frame (3/8"-16)	7.840
8. SCREW, Frt. End Pnl. Reinf. Asm. to Ctr. Brace (9/16"-18 x 13/16")	1.276
9. BRACKET, Stab. Mtg.	7.831
10. NUT, Stab. Mtg. Bracket (9/16"-18U)	8.083
11. SHIM, Stabilizer	8.016
12. STABILIZER, Bumper	7.831
13. NUT, Stabilizer (3/8"-16)	6.896
14. BRACKET, Frame Bar to Frt. End	7.828
15. BOLT, Bumper Mtg.	7.874
16. BRACE, Bumper to Frt. Bar	7.833
17. BOLT, Bumper (7/16"-14 x 11)	7.874
18. NUT, Bumper Mtg. (7/16"-14 Flanged)	7.874
19. BAR, Bumper Impact to Frame	7.836
20. NUT, Bar (1/2"-13)	8.915
21. WASHER, Impact Bar (33/64" x 1 1/4")	7.865
22. NUT, Bumper Attaching (7/16"-14 Flanged)	7.874
23. NUT, Support to Frame (3/8"-16)	6.896
24. WASHER, Bar (3/8")	8.929
25. REINFORCEMENT, Bumper Impact, Outer	7.831
26. REINFORCEMENT, Bumper Impact, Outer	7.831



1976 "F" REAR BUMPER

1. REINFORCEMENT, Impact Bar	7.831
2. BRACKET, Bumper Jacking	7.869
3. BOLT (5/8"-16 x 3/4")	8.900
4. RETAINER, Bar to Reinforcement	7.836
5. BAR, Rear Impact	7.831
6. NUT & WASHER	12.118
7. RETAINER ASM., Impact Bar	7.836
8. ABSORBER, Impact Bar (Part of Item 5)	N.S.
9. BRACKET, Bar to Body Mtg.	7.869
10. NUT (7/16"-14)	8.915
11. WASHER (5/32" I.D. x 1 3/4" O.D.)	N.S.
12. WASHER (Sealing) (15/32" I.D.)	N.S.
13. NUT (5/8"-16)	N.S.



1976 "F" REAR SUSPENSION

1. YOKE, Rear Universal Joint	5.555	25. LOCKING NUT, Stabilizer (3/8"—16)	7.242
2. REPAIR KIT, Universal Joint Front	5.548	26. BRACKET, Stab. Link Attaching	7.242
3. SHAFT ASM., Propeller	5.544	27. LOCKWASHER, Rear Stabilizer (1/4")	8.931
4. BOLT, Prop. Shaft to Axle Flange (5/16"—24 x 1 7/16")	N.S.	28. NUT, Rear Stabilizer (5/16"—18)	8.915
5. STRAP, Prop. Shaft U.J. Bearing to Flange	5.586	29. BUSHING, Rear Stabilizer	7.243
6. BUMPER, Pinion Nose	5.395	30. DRUM, Rear Wheel Brake	5.809
7. BOLT, Pinion Nose Bumper (5/16"—12 x 3/4")	8.977	31. NUT, Wheel Hub Bolt	5.813
8. CARRIER & TUBES ASM., Differential	5.387	32. WHEEL, Rear	5.803
9. NUT, Spring Bumper Asm.	0.002	33. SCREW, Shock-Upper (5/16"—18 x 1.00)	8.977
10. BRACKET, Bumper Mtg.	7.535	34. SHOCK ABSORBER ASM., Rear	7.345
11. SCREW, Bumper Mtg. (3/8"—16 x 1 1/4")	8.977	35. RETAINER, Shock Absorber	7.389
12. BUMPER ASM., Rear Spring	7.535	36. GROMMET, Shock Absorber	7.388
13. BOLT, Spring & Shock Plate (7/16"—20 x 1 5/16")	7.242	37. NUT, Shock to Brkt.	7.347
14. BOLT, Spring to Plate (7/16"—20 U-Shape)	7.516	38. BRACKET, Stab. Shaft	7.242
15. PIN, Spring Shackle	7.523	39. BUSHING, Stab. to Axle	7.243
16. LOCKING NUT, Spring Shackle Pin (7/16"—20)	8.917	40. NUT, Spring & Shock Anchor Plate	7.518
17. SHACKLE, Rear Spring	7.523	41. PLATE, Spring & Shock Anchor	7.518
18. BUSHING, Rear Spring	7.524	42. CUSHION, Lower Rear Spring	7.545
19. SHAFT, Rear Stabilizer	7.241	43. BUSHING ASM., Rear Spring-Front	7.504
20. BOLT, Rear Stabilizer (5/16"—18 x 3/4")	8.900	44. SPRING, Rear Leaf	7.503
21. SCREW, Stab. Supt. Brkt. (3/8"—16 x 1 1/4")	8.977	45. BOLT, Spring Front Eye Brkt.	8.977
22. BOLT, Stab. Bar (3/8"—16 x 2 1/4")	8.903	46. LOCKWASHER, Spring Front Eye Brkt. (3/8")	8.931
23. BRACKET, Stabilizer Link	7.242	47. WASHER, Spring Front Eye	0.002
24. WASHER, Stab. Shaft Supt. (1" x 25/64")	6.897	48. WASHER, Spring Front Eye	6.515
		49. LOCKWASHER, Spring Front Eye (1/2")	8.931
		50. NUT, Spring Front Eye Bolt (1/2"—20)	8.915
		51. NUT, Spring Frt. Eye Brkt. (3/8"—16)	7.530
		52. BRACKET, Spring Frt. Eye	7.526
		53. BOLT, Spring Brkt. (1/2"—20 x 4 7/8")	7.504
		54. CUSHION, Spring-Upper	7.545



**1967 FIREBIRD FRONT COIL SPRING USAGE
CHART—GROUP 7.412**

Model Series	Standard	6 Cyl. 4-Bbl. Eng.	400 Sport Option	Air Conditioning			Firm Ride & Handling							
				Standard	6 Cyl. 4-Bbl. Eng.	400 Sport Option	6 Cyl. 1-Bbl. Eng.		6 Cyl. 4-Bbl. Eng.		8 Cyl. Eng. Auto. Trans.		8 Cyl. Eng. Hydra Matic	
							Exc. Air Cond.	With Air Cond.	Exc. Air Cond.	With Air Cond.	Exc. Air Cond.	With Air Cond.	Exc. Air Cond.	With Air Cond.
2337(F/6)	397900	397913	N.A.	384241	397908	N.A.	397899	397908	397899	397910	N.A.	N.A.	N.A.	N.A.
2367(F/6)	384241	397905	N.A.	381939	397910	N.A.	397913	397910	397905	397910	N.A.	N.A.	N.A.	N.A.
2337(F/8)	397908	N.A.	397908	397910	N.A.	397910	N.A.	N.A.	N.A.	N.A.	397908	397910	397910	397910
2367(F/8)	397910	N.A.	397910	388281	N.A.	398883	N.A.	N.A.	N.A.	N.A.	397910	397912	397910	398883

**1967 FIREBIRD REAR LEAF SPRING USAGE
CHART—GROUP 7.503**

Model Series	Standard	6 Cyl. 4-Bbl. Eng.	400 Sport Option	326 4-Bbl. Eng.	Sprint Option	Firm Ride & Handling
2337(F/6)	N.A.	N.A.	N.A.	N.A.	3917544	3917544
2367(F/6)	3917541	3917543	N.A.	N.A.	3917545	3917545
2337(F/8)	N.A.	N.A.	3917544	3917544	N.A.	3917544
2367(F/8)	3917543	N.A.	3917545	3917545	N.A.	3917545



1968 FIREBIRD FRONT COIL SPRING USAGE CHART — GROUP 7.412

Model Series	Standard	6 Cyl. 4 Bbl. Eng.	400 Sport Option	Air Conditioning		FIRM RIDE & HANDLING									
				Stand-ard	400 Sport Option	6 Cyl. 1 Bbl. Eng. Exc. A.C.	6 Cyl. 1 Bbl. Eng. With A.C.	6 Cyl. 4 Bbl. Eng.	350 8 CYL. 8 CYL. Man. Trans.		400 8 Cyl. Man. Trans.		400 8 Cyl. Hydra-Matic		
									Exc. Air Cond.	With Air Cond.	Exc. Air Cond.	With Air Cond.		Exc. Air Cond.	With Air Cond.
2337(F/6)	397900	397910	—	384241	—	397899	397913	397899	—	—	—	—	—	—	—
2367(F/6)	384241	397904	—	384049	—	397899	397908	397913	—	—	—	—	—	—	—
2337(F/8)	397908	—	397908	397910	397910	—	—	—	397913	397910	397908	397910	397908	397910	397910
2367(F/8)	397910	—	397910	388280	388281	—	—	—	397908	397912	397910	397912	397910	397910	398883

1968 FIREBIRD REAR LEAF — SPRING AND BUSHING ASSEMBLY — GROUP 7.503

MODEL SERIES	STANDARD	6-CYL. 4-BBL. ENGINE SPRINT OPTION	FIRM RIDE & HANDLING	
			6-CYL. ENGINE	8-CYL. ENGINE
2337(F/6)	9793951	482548	9793955	—
2367(F/6)	9793952	9793954	481132	—
2337(F/8)	482548	—	—	9793955
2367(F/8)	N.L.A.	—	—	481132



1969 FIREBIRD FRONT COIL SPRING USAGE CHART — GROUP 7.412

MODEL SERIES	STANDARD	AIR CONDITIONING				FIRM RIDE & HANDLING											
		OPTION	RAMAIR	HO	400	400	SPT. OPT.	6 CYL. EXC. A.C.	1 BBL. WITH A.C.	2 BBL. EXC. A.C.	350	2 BBL. WITH A.C.	400	SPT. OPT. A.C.			
2337	384048	397908	397910	397910	397910	388281	397912	397912	388281	397910	397910	397910	397912	397910	397912	397912	397912
2367	381939	397907	388281	397912	388281	388281	398883	9798944	388284	397910	397912	397912	398883	397912	397912	9798944	9798944
2337	384049	397908	397907			388281				397908	397910	397910	397912	397910	397912		
2367	384049	397907	388281			388281				397910	397912	397912	9798944	397912	9798944		
2337		397907	397910	397912	388280	388281	397912	398883	388281				397910	397912	397912	398883	398883
2367		388281	397912	398883	388281	388281	9798944	9798944	388284				397912	397912	9798944	398883	9798944

1969 FIREBIRD REAR LEAF SPRING USAGE CHART — GROUP 7.503

MODEL SERIES	STANDARD				FIRM RIDE & HANDLING			
	6 CYL. 1 BBL.	350 2 BBL.	350 RAMAIR 400 HO	350 4 BBL.	400 RAMAIR 400 HO	400 SPORT OPTION	6 CYL. 4 BBL.	6 CYL. 8 CYL.
2337	482548	482548	9789636	9789636	9789636	482548	482548	9789636
2367	9789634	482548	481132	481132	481132	482548	482548	481132

1970 FRONT COIL SPRINGS

MANUAL AND POWERGLIDE TRANSMISSION

STANDARD			WITH A/C	
6 CYLINDER	350 V-8	400 V-8	350 V-8	400 V-8
3996362	3982346	3982346	344537	3982356

HT 350 TRANSMISSION

6 CYLINDER	350 V-8	
	EXC A/C	WITH A/C
3996362	3982346	344537

HT 400 TRANSMISSION

400 ENGINE EXC RAM AIR		RAM AIR III		RAM AIR IV (LS-1)
EXC A/C	WITH A/C	EXC A/C	WITH A/C	
3982346	3982356	344537	3982356	344537

1970 REAR LEAF SPRINGS AND BUSHINGS

	6 CYLINDER	350 V-8	400 V-8 EXC TRANS AM	TRANS AM
R	480878	480878	482548	481612
L	480878	480878	482548	481612

1971 FRONT COIL SPRINGS

MANUAL AND POWERGLIDE TRANSMISSION

MODEL	6 CYL. STD.	350 2 BBL.	TRANS. AM. & FORM. 400 WITH 455 ENG.	400 ENG.	AIR CONDITIONING WITH		
					350 2 BBL.	TRANS. AM. & FORM 400 W445 ENG.	400 ENG.
2387	3996362	3982346	344537	3982346	344537	3988100	3982356

HT 350 TRANSMISSION

	6 CYL. STD.	350 2 BBL.	
		EXC. A. C.	WITH A. C.
2387	3996362	3982346	344537

HT 400 TRANSMISSION

	400 ENG.		455 ENG.	
	EXC. A. C.	WITH A. C.	EXC. A. C.	WITH A. C.
2387	3982346	3982356	3982356	3988100

1971 REAR LEAF SPRINGS AND BUSHINGS

MODEL		6 CYL.	350 ENG.	400 ENG.	FORMULA 400 Exc. F60 x 15 Tires	FORMULA 400 W/F60 x 15 Tires	TRANS. AM
2387	R	480878	480878	482548	482548	481612	481612
	L	480878	480878	482548	482548	481612	481612

1972 FRONT COIL SPRINGS

MANUAL AND POWERGLIDE TRANSMISSION

6 CYL. STD.	350 2 BBL.	TRANS. AM. & FORM. 400 WITH 455 ENG.	400 ENG.	AIR CONDITIONING WITH		
				350 2 BBL.	TRANS. AM. & FORM 400 W445 ENG.	400 ENG.
3996362	3982346	344537	3982346	344537	3988100	3982356

HT 350 TRANSMISSION

6 CYL. STD.	350 2 BBL.	
	EXC. A. C.	WITH A. C.
3996362	3982346	344537

HT 400 TRANSMISSION

400 ENG.		455 ENG.	
EXC. A. C.	WITH A. C.	EXC. A. C.	WITH A. C.
3982346	3982356	3982356	3988100

1972 REAR LEAF SPRINGS AND BUSHINGS

	6 CYL.	350 ENG.	400 ENG.	FORMULA 350 or 400 Exc. F60 x 15 Tires	FORMULA 350 or 400 W/F60 x 15 Tires	455 HO ENG.
R	480878	480878	482548	482548	481612	481612
L	480878	480878	482548	482548	481612	481612

1973 SPRING CHARTS

Follow the three steps below to utilize the 1973 Spring Charts.

1. Select the model desired with the base sprung weight on Chart "A".
2. Then select options accordingly shown on Chart "B" and add that weight to the base sprung weight.
3. Once accumulated weight has been determined refer to Chart "C" and select correct spring.

CHART "A"

MODEL	BASE SPRUNG WEIGHT	
	FRONT	REAR
2FS87 Firebird	795	542

CHART "B"

RPO OPTIONS	FRONT	REAR
CF7 Sun Roof	2.5	3.0
C60 Air Conditioning	54.0	2.0
D55 Floor Console	3.5	2.5
JL2 Power Disc Brake	4.6	1.0
LS2, L75 455 4 B.C. Engine	112.5	13.0
L30 350 2 B.C. Engine	99.0	11.5
L65 400 2 B.C. Engine	101.0	11.5
L78 400 4 B.C. Engine	106.0	13.0
M38 Hydramatic Transmission	8.0	3.5
M40 Hydramatic Transmission	14.0	6.0
N41 Power Steering	14.5	0
V01 H.D. Radiator (w/V-8 Eng.)	7.5	0
WS4 Trans. Am Option	4.0	38.5
W66 Formula Option	2.0	11.0
Y99 Handling Package	4.0	3.5

CHART "C"

FRONT SPRINGS – GROUP 7.412

MODELS	PROD. CODE	SPRUNG WEIGHT	SERVICE CODE
All 6 Cyl.	AE, AF, AM	All	AF
All 8 Cyl.	AR, AU AV, AW CR, CS	0-940 941-1000 1001-Over	AU AW CR

AF	3996362	AU	3996365	AW	344537	CR	3998629
----	---------	----	---------	----	--------	----	---------

REAR SPRINGS – GROUP 7.503

MODELS	PROD. CODE	SPRUNG WEIGHT	SERVICE CODE
All 6 Cyl. or 350 V-8 (Exc. Formula)	PA, PB	All	PA
400 2 B.C. or Formula (Exc. Y99)	PR, PF	All	PR
Trans. Am or Formula (w/Y99)	PJ	All	PJ

PA	480878	PJ	481132	PR	482548
----	--------	----	--------	----	--------



1974 SPRING CHARTS

Follow the three steps below to utilize the 1974 Spring Charts.

1. Select the model desired with the base sprung weight on Chart "A".
2. Then select options accordingly shown on Chart "B" and add that weight to the base sprung weight.
3. Once accumulated weight has been determined refer to Chart "C" and select correct spring.

**CHART "A"
1974 FIREBIRD**

MODELS	BASE SPRUNG WEIGHT	
	FRONT	REAR
2FS87 Firebird Hdtp. Cpe. (6 Cyl.)	812	596

**CHART "B"
1974 FIREBIRD**

R.P.O. OPTION WEIGHTS	FRONT	REAR
C60 Air Conditioning	54.0	2.0
D55 Floor Console	3.5	2.5
JL2 Power Disc Brake	4.5	1.0
LS2 455 4 B.C.-S.D. Engine	112.5	13.5
L30 350 2 B.C. Engine	99.0	11.5
L65 400 2 B.C. Engine	101.0	11.5
L75 455 4 B.C. Engine	110.0	13.0
L78 400 4 B.C. Engine	111.0	13.0
M38 Hydramatic Transmission - Lt. Duty	8.0	3.5
M40 Hydramatic Transmission	14.0	6.0
U57 Stereo Tape Player	4.0	1.5
U63 Radio	3.0	1.0
VO1 Heavy Duty Cooling	6.5	0.0
WX3 Shaker Hood	4.0	0.0

**CHART "C"
FRONT SPRINGS—GROUP 7.412**

MODELS	SPRUNG WEIGHT	PART NO.
2FS87 (6 Cyl.)	All	3996362
2FS87 (w/8 Cyl. & F78-14 or GR70-15 tires)	0-937	3996365
	938-999	344537
	1000-Over	3998629
2FS87 (w/8 Cyl. & E78-14 or FR78-14 tires)	0-906	3996365
	907-969	344537
	970-Over	3998629

REAR SPRINGS—GROUP 7.503

MODELS	SPRUNG WEIGHT	PART NO.
2FS87 (6 Cyl. or 350 exc. Formula)	All	480878
2FS87 (400 2 B.C. or Formula)	All	482548
2FS87 (Trans. Am or Formula)	All	481132

1975 SPRING CHARTS

Follow the three steps below to utilize the 1975 Spring Charts.

1. Select the model desired with the base sprung weight on Chart "A".
2. Then select options accordingly shown on Chart "B" and add that weight to the base sprung weight.
3. Once accumulated weight has been determined refer to Chart "C" and select correct spring.

CHART "A" 1975 FIREBIRD

MODELS	BASE SPRUNG WEIGHT	
	FRONT	REAR
2FS87 Firebird Hardtop Coupe (6 cyl.)	854	590

CHART "B" 1975 FIREBIRD

R.P.O. OPTION WEIGHTS		FRONT	REAR
A31	Power Windows	2.4	2.6
C60	Air Conditioning (L22 - 6 cyl.)	42.5	5.0
	(L30, L76, L78 - 8 cyl.)	50.0	2.0
D55	Floor Console	3.6	2.5
JL2	Power Brake	5.0	1.0
K19	Air Injection System (L22 - 6 cyl.)	6.0	0
	(L30, L76, L78 - 8 cyl.)	7.0	0
L30	350 2BC Engine	99.0	12.7
L76	350 4BC Engine	91.5	13.0
L78	400 4BC Engine	106.8	13.7
M38	Hydramatic Transmission	7.0	3.0
N10	Dual Exhaust	4.0	6.4
TP1	Maintenance Free Battery (L22 - 6 cyl.)	5.6	0
	(L30, L76, L78 - 8 cyl.)	5.7	0
U57	Stereo Tape Player	4.0	2.0
U63	Radio	3.0	1.0
V02	H.D. Radiator	7.5	0

CHART "C" 1975 FIREBIRD FRONT SPRINGS — GROUP 7.412

MODELS	SPRUNG WEIGHT	PART NUMBER
All w/FR78-15 or F78-14 Tires	0-922	3982356
	923-969	3982356
	970-Over	3988106
All w/GR70-15 Tires	0-981	3982356
	982-1040	3988106
	1041-Over	3988108

1975 FIREBIRD REAR SPRINGS — GROUP 7.503

MODELS	SPRUNG WEIGHT	PART NUMBER
All L22 - 6 cyl. & L30, L76 - 8 cyl. exc. Formula	All	494776
All L76 - 8 cyl. w/Formula & GR70-15 Tires	All	482548
All L78 - 8 cyl. w/M38-H.T. & GR70-15 Tires	All	482548
All L76 - 8 cyl. w/Formula & FR78-15 Tires	All	481132
All L78 - 8 cyl. w/M38-H.T. & FR78-15 Tires	All	481132
All L78 - 8 cyl. w/4 Spd.-M.T.	All	481132



1976 FIREBIRD

Follow the three steps below to utilize the 1976 Spring Charts.

1. Select the model desired with the base sprung weight on Chart "A".
2. Then select options accordingly shown on Chart "B" and add that weight to the base sprung weight.
3. Once accumulated weight has been determined refer to Chart "C" and select correct spring.

CHART A

	Models	Base Sprung Weight	
		Front	Rear
2FS87	Firebird Hardtop Coupe (6 Cyl.)	857	585
2FT87	Firebird Esprit Hardtop Coupe	865	599
2FU87	Firebird Formula Hardtop Coupe	952	607
2FW87	Firebird Trans Am Hardtop Coupe	952	602

CHART B

	R.F.O. Option Weights	Base Sprung Weight	
		Front	Rear
A31	Power Windows	2.4	2.6
C60	Air Conditioning — Custom (L22—6 Cyl.) (L30, L75, L76, L78)	37.5	4.0
		56.0	4.5
D55	Floor Console	3.6	2.5
JL2	Power Disc Brakes	4.5	1.0
K19	Air Injection System (L22—6 Cyl.) (L30, L76, L78)	6.5	0
		7.0	0
L30	350 2 BC Engine	77.5	13.0
L76	350 4 BC Engine	79.5	13.0
L78	400 4 BC Engine	83.5	13.7
L75	455 4 BC Engine	96.0	13.0
M38	Hydramatic Trans.	7.0	3.0
U57	Stereo Tape Player	4.0	2.0
U58	AM-FM Stereo Radio	3.4	3.4
U63	AM Radio	2.5	1.0
U69	AM-FM Radio	3.0	1.0
V02	Super Cooling Radiator	7.5	0
W66	Formula Option Group	1.0	3.0

**CHART C
FRONT SPRINGS**

Models	Sprung Weight	Part No.
ALL w/FR78-15 or F78-14 Tires	0-920	3988113
	921-957	3988114
	958-Over	3988116
ALL w/GR70-15 Tires	0-988	3988114
	989-Over	3988116

REAR SPRINGS

Models	Sprung Weight	Part No.
ALL L22—6 Cyl. & L30, L76—8 Cyl. exc. Formula	ALL	494776
ALL L76—8 Cyl. Formula	ALL	480884
ALL L78—8 Cyl. w/M38-H.T.	ALL	480884
ALL L78—8 Cyl. w/4 Spd.-S.T.	ALL	481132
ALL L75—8 Cyl.	ALL	481132